

2021 Central/West POU Mitigation Rights				
Application Number	Permit Number	RATE	Temporary Mitigation Source used to permit/pump	Notes
S-88161	S-55061	12.6	City of Boardman IL 1536 = 12.6 cfs	
S-88162	S-54633	38.75	Port of Umatilla IL 1741 = 16.8 cfs CS4-01337(B)C@3 = 9.18 cfs IL App Using Cert #94987 = 1.4 cfs	Mid-C to inform OWRD that this permit will be restricted to 27.38 cfs for 2021
S-88288	S-55190	23	Port of Umatilla IL 1741 = 23 cfs	
S-88289	S-55192	11		This right was not activated in 2020 due to loss of mitigation water. Will not be activated in 2021. Must be activated in 2022.
2021 East POU Mitigation Rights				
S-88206	S-55114	39.3	Port of Umatilla (IL-1661) = 39.3 cfs	
S-88286	S-55263	6.05	CS4-CV1-4P246@6 = 3.8 cfs CS4-01350(A)C@2 = 2.25 cfs	
S-88287	Requesting Activation for 2021	39.3	Port of Umatilla (IL-1620) = 39.3 cfs	Must file proof of fish screens, telemetered POD with State of Oregon
S-88290	S-55262	10	CS4-CV1-4P246@6 = 10 cfs	

* Although approved for dual use, this water right is included in the totals for only the McNary pool.

Oregon Sources (132.4 cfs)

Port of Umatilla IL-1620: 39.3

Port of Umatilla IL-1661: 39.3

Port of Umatilla IL-1741: 39.8

City of Boardman IL-1536: 12.6

Port of Umatilla: Apply for new 1.4 cfs Instream Lease (using Certificate #94987)

Washington Sources (25.23)

AgriNorthwest CS4-01337(B)C@3: 9.18 CFS

AgriNorthwest CS4-CV1-4P246@6: 13.8 cfs

AgriNorthwest CS4-01350(A)C@2: 2.25 cfs